




Description

Improvise explores metal in the limelight to forge character in spaces iconic of industrial design. From a dull, worn, and even corroded metal this collection is seemingly reminiscent of old workshops. Challenging circumstances often build strong character, so will this collection in any design.

Porcelain Colors



Ceramic Colors



Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	Porcelain > 0.42 Wet
		Ceramic • Not Applicable
Water Absorption	ISO 10545-3	Porcelain • < 0.1%
		Ceramic • 16%
Breaking Strength	ISO 10545-4	Porcelain • R>50 N/mm ² , S>1700N
		Ceramic • R > 22N/mm ²

Body Type	Shade Variation
Ceramic	V5
Glazed Color-Body Porcelain	V3

Finish & Thickness

Matte | 7mm, 9mm
Finish varies per size and color –
Refer to Color•Size•Finish Matrix

Lead Time

8-10 Weeks

Location

Italy



IMPROVISE

creative
materials
corporation



Sizes



4"x12"



12"x24"

8"x48"

24"x24"

24"x48"

Color•Size•Finish Matrix

Color — Size & Thickness						
Porcelain	Grey	Grey Embossed	Red	Red Embossed	Blue	Blue Embossed
8"x48"x9mm Rectified		Matte		Matte		Matte
12"x24"x9mm Rectified	Matte	Matte	Matte	Matte	Matte	Matte
24"x24"x9mm Rectified	Matte	Matte	Matte	Matte	Matte	Matte
24"x48"x9mm Rectified	Matte	Matte	Matte	Matte	Matte	Matte
Bullnose 3.5"x24"x9mm Rectified	Matte		Matte		Matte	
						
Stairtread 12"x24"x9mm Rectified	Matte		Matte		Matte	
						

Color — Size & Thickness			
Ceramic	Press White	Press Blue	Press Red
4"x12"x7mm Pressed	Matte	Matte	Matte

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

EPD and Cradle2Cradle is only applicable to porcelain.

