




Description

Inns porcelain tile bears a grainy linear effect that draws inspiration from sandy soils and is enhanced with shiny mineral speckles. A softness of expression for timeless elegance. A high-performing product in terms of strength and durability, without losing its sophisticated beauty.

Colors



Sizes



Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	Natural • > 0.42 Wet
		Honed • < 0.42
Water Absorption	ASTM C373	< 0.1%
Breaking Strength	ASTM C648	> 400 lbf
PEI	ASTM C1027	IV

Body Type	Shade Variation
Glazed Color-Body Porcelain	V2

Finish & Thickness

Honed, Natural | 7.5mm, 8mm
Finish varies per size and color –
Refer to Color•Size•Finish Matrix

Lead Time

2-3 Weeks

Location


USA





Mosaics

1"x2" Mosaic on 12"x12"x8mm Sheet Natural Rectified



White

Light Grey

Sand

Taupe

Grey

Black

2"x2" Mosaic on 12"x12"x8mm Sheet Natural Rectified



White

Light Grey

Sand

Taupe

Grey

Black

Color•Size•Finish Matrix

Color — Size & Thickness						
	White	Light Grey	Sand	Taupe	Grey	Black
12" x 24" x 8mm Rectified	Honed Natural	Honed Natural	Honed Natural	Honed Natural	Honed Natural	Honed Natural
18" x 36" x 8mm Rectified	Natural	Natural	Natural	Natural	Natural	Natural
Bullnose 4" x 24" x 8mm	Natural	Natural	Natural	Natural	Natural	Natural
						
Covebase 6" x 12" x 7.5mm	Natural	Natural	Natural	Natural	Natural	Natural
						

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

