WAX

creative materials corporation



Description

Wax porcelain tile captivates with its dynamic aesthetic yet delivers an unexpectedly smooth tactile experience. It was designed to emulate the malleable nature of wax through various manipulations. These methods create beautiful breaks and fractures, followed by solidification at varying intervals, leading to distinctive milky hues.

Colors



Finish & Thickness

Lead Time

Matte, Soft | 9mm Finish varies per size and color – Refer to Color•Size•Finish Matrix 8-10 Weeks

Location

Italy

Technical Data


Specification Reference	Test Method	Test Result	
DCOF	ANSI A326.3	Matte > 0.42 Wet	
DCOF		Soft > 0.42 Dry	
Water Absorption	ISO 10545-3	< 0.2%	
Breaking Strength	ISO 10545-4	R>35 N/mm ² , S>1300N	
PEI		IV • Grey, Grey Spark	
	ISO 10545-7	V • Beige, Beige Spark, White Multi Spark	

Body Type	Shade Variation		
Glazed Color-Body Porcelain	V3		



WAX

creative materials corporation



Spark Colors



Sizes

24″x48″

48" x48"





Color•Size•Finish Matrix

Color — Size & Thickness						
	White	Multi Spark	Beige	Beige Spark	Grey	Grey Spark
24" x48" x9mm	Matte	Matte	Matte	Matte	Matte	Matte
Rectified	Soft	Soft	Soft	Soft	Soft	Soft
48" x48" x9mm	Matte	Matte	Matte	Matte	Matte	Matte
Rectified	Soft	Soft	Soft	Soft	Soft	Soft



Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

