











Whitewashed Oak


Description

Woodshop LVT flooring enhances any space with light, natural, softwood tones, creating a bright and inviting atmosphere. Its airy, open feel brings elegance to commercial designs. Through the beauty of wood with the added benefits of low maintenance and long-lasting durability, it is ideal for high-traffic environments.

Colors



Sizes



Wear Layer & Thickness

20 Mil | 5mm

Edge Profile

Square

Lead Time

1-2 Weeks

Availability

Domestic Inventory



Technical Data


Specification Reference	Test Method	Test Result
Static Load	ASTM F970	Passes
Light Resistance	ASTM F1515	Passes
Chemical Resistance	ASTM F925	Passes
Smoke Density	ASTM E662	Passes < 450
Dimensional Stability	ASTM F2199	Passes
Residual Indentation	ASTM F1914	Passes
Classification	ASTM F1700	Class III, Type B

Body Type	Installation
Luxury Vinyl Tile (LVT)	Floating




Grey Stained Oak


Patterns




Brick



Stagger



Monolithic



Herringbone

Color•Size•Finish Matrix

Color — Size & Thickness			
7" x 48" x 5mm	Sunwashed	Light Maple	Light Oak

Color — Size & Thickness			
7" x 48" x 5mm	Classic Oak	Maple	Walnut

Color — Size & Thickness			
7" x 48" x 5mm	Weathered Oak	Whitewashed Oak	Grey Stained Oak



Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

