



Description

Hyannis porcelain tile shows the inherent beauty of natural stone with organic mineral veining throughout. A collection distinguished by a fine grain and soft movement, representative of the effects of sedimentation.

Colors



White



Ivory



Grey



Anthracite

Sizes

12"x24"

24"x48"

24"x24"

Paver options available.

Contact info@creativematerialscorp.com or your consultant for more information.

Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	> 0.55 Wet
Water Absorption	ASTM C373	~ 0.2%
Breaking Strength	ASTM C648	> 275 lbf
Deep Abrasion Resistance	ASTM C1243	~40mm ³

Finish & Thickness

Grip, Matte | 8.5mm

Finish varies per size and color –
Refer to Color•Size•Finish Matrix

Lead Time

2-3 Weeks

Location

USA



2025v1



Ivory + Ivory 2"x4" Brick Mosaic



Anthracite 2"x4" Herringbone Mosaic

Mosaics

2"x4" Brick Mosaic on 12"x12"x8.5mm Sheet Matte | Non-Rectified




White



Ivory



Grey



Anthracite

2"x4" Herringbone Mosaic on 12"x12"x8.5mm Sheet Matte | Non-Rectified




White



Ivory



Grey



Anthracite



Mosaics


1.375"x1.375" Mosaic on 12"x12"x8.5mm Sheet Matte | Non-Rectified




White



Ivory




Grey



Anthracite

Color•Size•Finish Matrix

Color — Size & Thickness				
	White	Ivory	Grey	Anthracite
12"x24"x8.5mm Rectified	Grip Matte	Grip Matte	Grip Matte	Grip Matte
24"x24"x8.5mm Rectified	Matte	Matte	Matte	Matte
24"x48"x8.5mm Rectified	Matte	Matte	Matte	Matte
Bullnose 4"x24"x8.5mm Rectified	Matte	Matte	Matte	Matte
				

Paver options available. Contact info@creativematerialscorp.com or your consultant for more information.

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.



2025v1