




## Description

Hyannis porcelain tile shows the inherent beauty of natural stone with organic mineral veining throughout. A collection distinguished by a fine grain and soft movement, representative of the effects of sedimentation.

## Colors



## Sizes



Paver options available.

Contact [info@creativematerialscorp.com](mailto:info@creativematerialscorp.com) or your consultant for more information.

## Technical Data

Specification Reference	Test Method	Test Result
DCOF	ANSI A326.3	> 0.50 Wet
Water Absorption	ASTM C373	~ 0.2%
Breaking Strength	ASTM C648	> 275 lbf
Deep Abrasion Resistance	ASTM C1243	~40mm <sup>3</sup>

## Finish & Thickness

Grip, Matte | 8.5mm  
Finish varies per size and color –  
Refer to Color•Size•Finish Matrix

## Lead Time

2-3 Weeks

## Location

USA





Ivory + Ivory 2"x4" Brick Mosaic



Anthracite 2"x4" Herringbone Mosaic

## Mosaics

2"x4" Brick Mosaic on 12"x12"x8.5mm Sheet Matte | Non-Rectified



White



Ivory



Grey



Anthracite

2"x4" Herringbone Mosaic on 12"x12"x8.5mm Sheet Matte | Non-Rectified



White



Ivory



Grey



Anthracite



## Mosaics


1.375"x1.375" Mosaic on 12"x12"x8.5mm Sheet Matte | Non-Rectified




White



Ivory








Grey



Anthracite

## Color•Size•Finish Matrix

Color — Size & Thickness				
	White	Ivory	Grey	Anthracite
12" x 24" x 8.5mm Rectified	Grip Matte	Grip Matte	Grip Matte	Grip Matte
24" x 24" x 8.5mm Rectified	Matte	Matte	Matte	Matte
24" x 48" x 8.5mm Rectified	Matte	Matte	Matte	Matte
Bullnose 4" x 24" x 8.5mm Rectified	Matte	Matte	Matte	Matte
				

Paver options available. Contact [info@creativematerialscorp.com](mailto:info@creativematerialscorp.com) or your consultant for more information.

Chart indicates available size, color, finish and thickness options. Shaded block indicates not available. Sizing is nominal for field tile, trims, and decors.

